

## Warning lights and portable sirens



Portable warning lights

# Selux

Emergency flashlight, it's equipped with halogen lamps (one spare is supplied) Focal adjustable high precision optical dish. The 2020 Selux model has led lights.



Cod. 22.21.005  
Charger 230V for  
Selux 2020 e  
Selux 2030-M

Cod. 22.21.006  
Charger 230V for  
Selux 2035-IE

Depending on the model, the light can be only fixed or fixed/intermittent (mod. Selux 2035 IE).

Selux torches are supplied in series with a cone (yellow or red by choice), with a support for charging on motor-vehicles and loop for belts.

For the installation in office of Selux torches, you have to buy a 230V network charger.



**LUCE LED**



SELUX 2020 LED	SELUX 2030-M	SELUX 2035-IE	Batteries	Power supply V	Outlet tension charger V	Current charge mA	Lamp power W	Flashing frequency Hz	Continuous autonomy H	Light intensity cd	Degree of protection	Intermittent	Batteries economizer	Flat batteries signalling
<b>20.57.008 B</b>						100 cost.	6	-	1,3	20.000	IP 54	-	-	-
	<b>20.57.005 B</b>		Ni-MH	6 DC	12 DC	-	4	-	2,5	15.000	IP 64	-	-	-
		<b>20.57.006 B</b>					10	1,5	2	30.000		si	si	si

Weight:                      kg. 0,350      kg. 0,600      kg. 0,850

Cone colours: Red / Yellow.

Share space in mm



**LUCE LED**

Autonomous portable electric siren

# Sonoret





Sonoret SPR is suitable for most varied needs: from nocturnal guard to workers on railways and roads on Boats, to sporting events and in any place where the need for a buzzer alarm occurs.

With new separable battery pack, it's always possible to keep one charged and ready to use, using two or more packs.



SONORET SPR with rechargeable batteries Ni.MH	Battery Ni.MH	Charger	Power supply	Recharge time h	Working tension	Sound level (1 meter) dB lin	Minimal frequency Hz	Maximum frequency Hz	Modulation period	Degree of protection IP	Endurance wit continuous sound (')	Nominal tension V	Absorption VA
<b>07.50.007 B</b>			Batteria Ni-MH 12V 1200 m A/h	7	12Vdc	107,5	600	1200	4 sec	54	30	230 AC	10
	<b>07.50.009 B</b>												
		<b>07.50.008 B</b>											
Weight:	kg. 1,150	kg. 0,550	kg. 0,380										



Autonomous manual mechanical siren

# Funison Vox

Manually operated siren.

The characteristic of this siren is the autonomy and the portability that makes it unique.

It doesn't require power supply or maintenance and it can be used anywhere.

It's made in nylon with steel mechanics and dynamically balanced fan.




**FUNISON VOX**

**07.50.005 B**

Sound peak on siren beam (1 meter) dB	Frequency Hz	Rotor Ø mm	Rotating ring height mm
99	400	115	28

Weight: kg. 0,550



Share space in mm